



Beautify Your Home Protect the Lawn, Trees and Flower Beds

ORNAMENTAL WIRE
LAWN FENCE
GATES
TRELLIS
TREE *and* FLOWER GUARDS
CONSUMERS

MANUFACTURED BY

H. L. BROWN FENCE & MFG. CO.

(Owned and Operated by W. F. Robertson Steel & Iron Co., Cincinnati, Ohio)

CINCINNATI, OHIO, U. S. A.



"NORWOOD"

ORNAMENTAL WIRE LAWN FENCE
FACTORY FENCE—RUBBISH CONSUMERS
TREE GUARDS—FLOWER GUARDS
GATES—TRELLIS



Manufactured by
H. L. BROWN FENCE & MFG. CO.
CINCINNATI, OHIO



FOREWORD



IN PRESENTING this catalogue it is our aim to place before the trade in a concise and comprehensive manner the high quality products manufactured by H. L. Brown Fence and Mfg. Co., Cincinnati, O.

Our products are sold absolutely on merit. Compare the weights of our products with those of other makes. The heavier copper bearing wire offers greater stability and longer service.

Only the best materials enter into the construction of "Norwood" Quality Products, while skilled workmen and rigid inspection combine to maintain the highest standard.

*If you want to handle a high-grade product you
can select no better than the "NORWOOD"*

Manufactured by

H. L. BROWN FENCE & MFG. CO.
CINCINNATI, OHIO

Guarantee

All "Norwood" Quality Products are sold with the understanding that they must be equal to the description in these pages and we stand ready to replace any of our products not found as represented.

H. L. Brown Fence & Mfg. Co.

MARCH 1, 1928


QUALITY

BLUE RIBBON LINE

SERVICE

FABRIC, STYLE NUMBER 100

A pleasing design that combines service and economy.



General Appearance

DESCRIPTION OF FABRIC

This style of fabric is made of heavily galvanized wire. The crimped up-rights, or "pickets," are 9-gauge wire spaced 3 inches apart.

The curved top of each picket is se-

curely interlocked with the adjoining picket forming the "Double Top."


Twisted cable line wires are No. 12 gauge, spaced 6 inches apart, except the two top cables which are 2½ inches apart.

DIMENSIONS AND LIST PRICES

Height of fabric in inches.....	24	30	36	42	48	54	60	66	72
Number of cables.....	5	6	7	8	9	10	11	12	13
Per lineal foot.....	12c	14c	16c	18c	20c	24c	28c	30c	34c

Put up in 165, 250 and 330 foot rolls.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.



Detail of Construction

QUALITY




SERVICE

FABRIC, STYLE NUMBER 600 DOUBLE BOW

Very Substantial and Ornamental

Without doubt the most universally popular lawn fence made.



General Appearance

DESCRIPTION OF FABRIC

This fabric is made of heavily galvanized wire. The crimped uprights, or "pickets," are No. 9 wire, spaced 3 inches in upper section of the fence and 1½ inches in lower section. The curved top of each picket is tightly interwoven with adjoining pickets, forming our strong "Double Top." In the lower section, the full-length pickets are interwoven with

an additional No. 9 crimped picket, starting at the bottom of the fence, and extending upward as shown, forming a bow below the fourth cable, thus making the spacing between the pickets 1½ inches in the lower section. The double horizontal twisted wires, or "cables," are 12-gauge, spaced 6 inches apart except the two top cables which are spaced 2½ inches apart.

The extra pickets at bottom of fabric engage the lower cables as follows: 24 and 30 inch, three lower cables; 36 and 42 inch, four cables; 48 and 54 inch, five cables; 60 and 66 inch, six cables; 72 and 78 inch, seven cables; 84 inch, eight cables.

DIMENSIONS AND LIST PRICES

Height of fabric in inches....	24	30	36	42	48	54	60	66	72	78	84
Number of cables.....	5	6	7	8	9	10	11	12	13	14	15
Per lineal foot.....	18c	20c	22c	24c	28c	32c	36c	40c	44c	54c	63c

Put up in 165, 250 and 330 foot rolls.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.



Detail of Construction

QUALITY

BLUE RIBBON LINE

SERVICE



NUMBER 704 FACTORY FENCE

This Special Fabric is made of heavily galvanized wire. The uprights, or pickets, are No. 9 crimped wire spaced $1\frac{3}{4}$ inches. The double horizontal twisted wires, or cables, are of 12-gauge wire, spaced $5\frac{1}{2}$ inches to $6\frac{1}{2}$ inches according to height of fence,

except the two top cables, which are uniformly spaced $2\frac{1}{4}$ inches. The two rows of barbed wire or posts are not a part of the fabric and are not included in the price. The fabric is put up in stock rolls 165, 250 or 330 feet. Special length rolls to order.

LIST PRICES OF FABRIC PER LINEAL FOOT

Height of fabric in inches.....	48	54	60	66	72	78	84
Number of cables	9	10	11	12	13	14	15
Per lineal foot.....	32c	37c	40c	44c	48c	52c	57c

A stout non-climbable fence designed for enclosing grounds around factories, schools, parks, play grounds, orchards or wherever protection is necessary and where limited cost is an important item. Gates can be furnished with this web or fabric to match this fence. Can be used for window guards and tree guards.


QUALITY



SERVICE

"NORWOOD" ORNAMENTAL WALK GATES

Substantial and Serviceable



*These Gates can be furnished with any style filler—
Style No. 600, No. 100 or
No. 704.*

The fabric is all made to fit the gate frame and will exactly match the fence fabric described in this catalogue under the same number. There are no sharp ends of wire projecting and each web is a complete piece of fabric in itself, specially woven to size.

Frames are made of best grade standard pipe 1½ inch outside diameter. All Ornamental Gates are equipped with scroll top and spring latch.

The design is pleasing and dignified and is truly worthy of the name Ornamental.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON ENAMELED GATES

Opening	3 ft.	3½ ft.	4 ft.	5 ft.
Height 36 inches.....	\$5.00	\$5.20	\$5.40	\$7.00
Height 42 inches.....	5.20	5.40	5.60	7.20
Height 48 inches.....	5.40	5.60	5.80	7.40
Height 54 inches.....	6.50	6.70	7.00	8.90
Height 60 inches.....	7.80	8.10	8.40	10.70

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates furnished at small additional cost

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.

FOR ORDERING GATES READ INSTRUCTIONS ON PAGE 23.

"NORWOOD" ECONOMY WALK GATES

Plain Top Rail Without Scroll

The fabric is made up to fit the gate frame and all ECONOMY gates are furnished with any style fabric to match our fence designs.

Frames are made of best grade standard pipe 1½ inch outside diameter.

Gates are shipped complete with all

necessary fittings ready to hang to wood post.

Our "Economy" gate has long been regarded the BEST GATE VALUE obtainable for the price.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON ENAMELED GATES


Opening	3 ft.	3½ ft.	4 ft.
Height 36 inches.....	\$4.40	\$4.60	\$4.80
Height 42 inches.....	4.60	4.80	5.00
Height 48 inches.....	4.80	5.00	5.20
Height 54 inches.....	5.80	6.00	6.30
Height 60 inches.....	6.90	7.20	7.60

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized gates furnished at small additional cost.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.



*These Gates can be furnished with any style filler—
Style No. 600, No. 100 or
No. 704.*


FOR ORDERING GATES READ INSTRUCTIONS ON PAGE 23.

QUALITY



SERVICE

"NORWOOD" ORNAMENTAL SINGLE DRIVE GATES



These Gates can be furnished with any style filler—Style No. 600, No. 100 or No. 704.

The fabric for each gate is woven especially to fit the gate frame and to match the fence fabric of the corresponding number. There are no sharp ends projecting and each web is a complete piece of fabric in itself. Frames are made of the best grade standard pipe 1½ inch outside diameter. All Ornamental Gates are equipped with scroll top and spring latch. Fitted with adjustable brace wire to prevent sagging.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON ENAMELED GATES FILLED WITH ANY STYLE FABRIC

Opening	6 ft.	8 ft.	10 ft.	12 ft.	14 ft.	16 ft.
Height 36 inches.....	\$ 8.00	\$12.00	\$14.00	\$16.00	\$18.00	\$20.00
Height 42 inches.....	8.20	12.20	14.20	16.20	18.20	20.20
Height 48 inches.....	8.40	12.40	14.40	16.40	18.40	20.40
Height 54 inches.....	10.00	14.90	17.30	19.70	22.10	24.50
Height 60 inches.....	12.00	17.90	20.80	23.70	26.60	29.50

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates and fittings furnished at small additional cost.

"ECONOMY" SINGLE DRIVE GATES same construction as Ornamental Gates, except without scrolls on top. List prices \$1.00 less than above.


All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.

FOR ORDERING GATES READ INSTRUCTIONS ON PAGE 23.

"NORWOOD" ORNAMENTAL DOUBLE DRIVE GATES

The fabric for each gate is woven especially to fit the gate frame and to match the fabric of the fence of the corresponding style number. There are no sharp ends projecting and each web is a complete piece of fabric in itself. Frames are made of best grade standard pipe 1½ inch outside diameter. All Ornamental Gates are equipped with scroll top and spring latch. Gates 5 feet and over in width are reinforced by strong brace wire to prevent sagging.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.



These Gates can be furnished with any style filler—Style No. 600, No. 100 or No. 704.

LIST PRICES ON ENAMELED GATES FILLED WITH ANY STYLE FABRIC

Opening	8 ft.	10 ft.	12 ft.	14 ft.	16 ft.	18 ft.
Height 36 inches.....	\$11.60	\$13.60	\$15.60	\$17.60	\$21.60	\$25.60
Height 42 inches.....	11.80	13.80	15.80	17.80	21.80	25.80
Height 48 inches.....	12.00	14.00	16.00	18.00	22.00	26.00
Height 54 inches.....	14.40	16.80	19.20	21.60	26.40	31.20
Height 60 inches.....	17.50	20.20	23.10	27.00	31.70	37.50

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Page 21.

Galvanized Gates and fittings furnished at small additional cost.

"ECONOMY" DOUBLE DRIVE GATES same construction as Ornamental Gates, except without scrolls on top. List Prices, \$2.00 less than above.


All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.

FOR ORDERING GATES READ INSTRUCTIONS ON PAGE 23.

QUALITY



SERVICE



These Gates can be furnished with any style filler—Style No. 600, No. 100 or No. 704.

“NORWOOD” ECONOMY FARM GATE

A sturdy gate made up of standard pipe 1½ inch outside diameter, braced to prevent sagging.

It is built to withstand heavy usage and gives universal satisfaction.

Furnished in any style web to exactly match our various fence designs.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.

LIST PRICES ON ENAMELED GATES FILLED WITH ANY STYLE FABRIC

Opening	10 ft.	12 ft.	14 ft.	16 ft.
Height 42 inches.....	\$10.40	\$12.60	\$13.70	
Height 48 inches.....	10.95	13.35	14.40	15.80
Height 54 inches.....	11.90	13.40	14.90	17.40
Height 60 inches.....	14.30	17.20	17.90	20.90

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Page 21.

Galvanized Gates furnished at small additional cost.

ALL “NORWOOD” PRODUCTS are made of copper bearing rust-resisting steel.


FOR ORDERING GATES READ INSTRUCTIONS ON PAGE 23.

"NORWOOD" SQUARE MESH FARM GATE

Frames are of standard pipe 1 3/4 inches outside diameter. The web is made to fit each frame and is composed of all No. 9 gauge galvanized wire. Stay wires are spaced six inches apart, while the line wires are of a graduated mesh, being six inches space at the top and as close as two inches at the bottom.

This gate is designed to give long service under the severe conditions found on the farm. The hinges are of ample strength to stand the varying strains. The top hinge is long enough to go through a 11 inch post.

All special size gates are charged at the list price of our next larger regular size gate plus 50c net.



LIST PRICES ON ENAMELED GATES

Opening	10 ft.	12 ft.	14 ft.	16 ft.
Height 42 inches.....	\$10.00	\$11.50	\$12.50	
Height 48 inches.....	11.00	11.50	12.50	14.00
Height 54 inches.....	11.00	12.00	13.00	15.00

Above Prices Include Wood Post Fittings.

Extra Charge for Iron Post Fittings, See Price List on Pages 21 and 22.

Galvanized Gates furnished at small additional cost.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.

FOR ORDERING GATES READ INSTRUCTIONS ON PAGE 23.

QUALITY




SERVICE

"NORWOOD" TRELLIS

The two designs of TRELLIS illustrated are made of heavy copper bearing rust-resisting wire.

"Norwood" TRELLIS is but a little higher in price than poultry netting, is more ornamental and will last for years.




Trellis Style No. 107

LIST PRICES

PER LINEAL FOOT

Width	No. 107	No. 108
18 inch	8c	14c
24 inch	10c	16c
30 inch	12c	18c
Put up in 165, 250 and 330 foot rolls.		




Trellis Style No. 108

Either design with the aid of light wood or iron pipe supports, will lend itself to a variety of artistic effects in forming arches, for climb-

ing plants, over gates, bird baths and the flag stone paths through milady's flower garden.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.

"NORWOOD" TREE GUARDS



Style No. 1

Style No. 1 Tree Guards are made of $\frac{5}{8}$ x $\frac{1}{8}$ inch flat steel, securely held together with heavy flat steel rings.

Style No. 2 Tree Guards are substantially made of our No. 704 fabric heavily galvanized wire woven together with No. 12 galvanized twisted cable wires.

DIMENSIONS AND LIST PRICES

NUMBER 1			NUMBER 2		
Diameter	9 in.	12 in.	15 in.	Diameter	9 in.
					12 in.
					15 in.
Height	72 in.	72 in.	72 in.	Height	72 in.
					72 in.
Per Doz.	\$45.00	\$48.00	\$52.00	Per Doz.	\$17.00
					\$20.00
					\$23.00

In laying out public parks, subdivisions, golf links and boulevards, many valuable young trees are often subject to irreparable damage which could have been prevented at small cost by our protecting TREE GUARDS.



Style No. 2

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.

QUALITY



SERVICE

"NORWOOD" FLOWER BED GUARD, STYLE NO. 150

Our Flower Guard makes a handsome and protective addition to the flower bed. No posts nor braces are needed. The pickets project $4\frac{1}{2}$ inches below the bottom cable wire, and when these pickets are inserted in the ground and the ends of the fabric connected, the miniature fence stands firmly erect. The fabric is of special heavily galvanized wire. The crimped uprights or pickets, are No. 9 wire spaced 3 inches apart strongly woven with No. 12 twisted galvanized cable wires.




LIST PRICES PER LINEAL FOOT

16 inch	11c
22 inch	13c
28 inch	15c
Put up in 165, 250 and 330 foot rolls.	

This FLOWER GUARD will be found particularly effective in confining the winter mulch for beds of perennials as well as protecting young plant beds from damage. Easily conforms to any shape flower bed and can be installed and taken up with very little effort.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.



This shows in detail the construction of the fabric of our Heavy Duty Flower Bed Guard.

"NORWOOD" RUBBISH CONSUMERS

"NORWOOD" Consumers are made of No. 9 heavily galvanized crimped upright wires, spaced $1\frac{1}{2}$ inches apart and interwoven with No. 12 heavily galvanized twisted cable wires spaced 6 inches apart—except

the two top cable wires, which are $2\frac{1}{2}$ inches apart, to give additional strength at the top. Consumers nest each size in next larger size for convenience in shipping and storing.


DIMENSIONS AND LIST PRICES

Number	1	2	3	4
Diameter	12 in.	15 in.	18 in.	21 in.
Height	18 in.	22 in.	26 in.	31 in.
Per Dozen	\$24.00	\$27.00	\$30.00	\$40.00

NOTE—NORWOOD CONSUMERS are re-enforced at top with steel band to give additional strength.

"NORWOOD" CONSUMERS enable the home-owner to dispose of the daily accumulation of paper and other rubbish with safety. The style of the fabric and woven wire top prevent scattering of burning embers.

All "NORWOOD" PRODUCTS are made of copper bearing rust-resisting steel.



QUALITY



SERVICE

LIST PRICES OF "NORWOOD" PRODUCTS

FABRIC

See Descriptions, Pages 5, 6, 7, 14 and 16

Style No.	HEIGHT, IN INCHES														
	16	18	22	24	28	30	36	42	48	54	60	66	72	78	84
150	11c		13c		15c										
107		8c		10c		12c									
108		14c		16c		18c									
100				12c		14c	16c	18c	20c	24c	28c	30c	34c		
600				18c		20c	22c	24c	28c	32c	36c	40c	44c	54c	63c
704									32c	37c	40c	44c	48c	52c	57c

TREE GUARDS

See Descriptions,
Page 15

Per Dozen

Diam. Inches	Style	
	No. 1	No. 2
9	\$45.00	\$17.00
12	48.00	20.00
15	52.00	23.00

WALK GATES

See Descriptions, Pages 8 and 9

ECONOMY				ORNAMENTAL			
Height Inches	Opening—Feet			Height Inches	Opening—Feet		
	3	3½	4		3	3½	4 5
36	\$4.40	\$4.60	\$4.80	36	\$5.00	\$5.20	\$5.40 \$7.00
42	4.60	4.80	5.00	42	5.20	5.40	5.60 7.20
48	4.80	5.00	5.20	48	5.40	5.60	5.80 7.40
54	5.80	6.00	6.30	54	6.50	6.70	7.00 8.90
60	6.90	7.20	7.60	60	7.80	8.10	8.40 10.70

RUBBISH CONSUMERS

See Descriptions,
Page 17

Diam. Inches	Per doz.
12	\$24.00
15	27.00
18	30.00
21	40.00

LIST PRICES OF "NORWOOD" PRODUCTS

FARM GATES

See Descriptions, Pages 12 and 13

ECONOMY					SQUARE MESH				
Height Inches	Opening—Feet				Height Inches	Opening—Feet			
	10	12	14	16		10	12	14	16
42	\$10.40	\$12.60	\$13.70		42	\$10.00	\$11.50	\$12.50	
48	10.95	13.35	14.40	15.80	48	11.00	11.50	12.50	14.00
54	11.90	13.40	14.90	17.40	54	11.00	12.00	13.00	15.00
60	14.30	17.20	17.90	20.90	60				


ORNAMENTAL DRIVE GATES

See Descriptions, Pages 10 and 11

Height Inches	SINGLE DRIVE Opening—Feet						Height Inches	DOUBLE DRIVE Opening—Feet					
	6	8	10	12	14	16		8	10	12	14	16	18
36	\$8.00	\$12.00	\$14.00	\$16.00	\$18.00	\$20.00	36	\$11.60	\$13.60	\$15.60	\$17.60	\$21.60	\$25.60
42	8.20	12.20	14.20	16.20	18.20	20.20	42	11.80	13.80	15.80	17.80	21.80	25.80
48	8.40	12.40	14.40	16.40	18.40	20.40	48	12.00	14.00	16.00	18.00	22.00	26.00
54	10.00	14.90	17.30	19.70	22.10	24.50	54	14.40	16.80	19.20	21.60	26.40	31.20
60	12.00	17.90	20.80	23.70	26.60	29.50	60	17.50	20.20	23.10	27.00	31.70	37.50
FOR SINGLE "ECONOMY" DRIVE GATES DEDUCT \$1.00 FROM ABOVE LIST PRICES							FOR DOUBLE "ECONOMY" DRIVE GATES DEDUCT \$2.00 FROM ABOVE LIST PRICES						

GATE FITTINGS

For convenience in ordering, we illustrate herewith the substantial gate fittings we furnish our trade.



WHEN ORDERING, USE BOTH NUMBER AND DESCRIPTION—See Page 22 for Additional Fittings.

GATE FITTINGS

All post dimensions given below are OUTSIDE diameters

No.	DESCRIPTION <i>For Identification Refer to Illustrations on Opposite Page.</i>	LIST PRICE	
		Black	Galv.
100	Malleable one piece Walk Gate hinge for 1 $\frac{7}{8}$ inch post	\$0.30	\$0.35
101	Malleable two piece Walk Gate hinge for 1 $\frac{7}{8}$ inch post35	.45
101A	Malleable two piece Walk Gate hinge for 2 inch post40	.50
101B	Malleable two piece Walk Gate hinge for 2 $\frac{1}{2}$ inch post45	.55
102	Steel Walk Gate hinge for 2 $\frac{3}{8}$ inch post.....	.80	1.00
103	Steel Drive Gate hinge for 2 $\frac{3}{8}$ inch post.....	.80	1.00
104	Steel Walk Gate hinge for 2 $\frac{7}{8}$ inch post.....	.95	1.10
105	Steel Drive Gate hinge for 2 $\frac{7}{8}$ inch post.....	.95	1.10
106	Gate Hinge Clamp for 1 inch Walk Gate.....	.25	.30
107	Gate Hinge Clamp for 1 $\frac{3}{8}$ inch Drive Gate.....	.35	.45
150	Malleable Keeper for 1 $\frac{7}{8}$ inch post.....	.40	.50
150A	Malleable Keeper for 2 inch post.....	.45	.55
150B	Malleable Keeper for 2 $\frac{1}{2}$ inch post.....	.50	.60
151	Steel Keeper for 2 $\frac{3}{8}$ inch post.....	.75	.85
152	Steel Keeper for 2 $\frac{7}{8}$ inch post.....	.85	.95
153	Malleable Elephant Ear Keeper for Wood Posts.....	.65	.75
154	Malleable Keeper for Double Drive Gate.....	.25	.30
155	Steel Keeper for Walk Gate Wood Posts.....	.25	.30
156	Malleable Walk Gate Hinge Lug.....	.25	.30
157	Malleable Drive Gate Hinge Lug (single or double)35	.40
158	Malleable Walk Gate Lag Screw-Wood post 4 $\frac{1}{2}$ inches long.....	.25	.35
159	Malleable Drive Gate Lag Screw-Wood Post 6 inches long.....	.35	.40
160	Forged Drive Gate Lag Screw-Wood Post 13 inches long.....	1.00	1.25
200	Spring Latch-Walk or Double Drive Gate for 1 inch post.....	.50	.60
201	Spring Latch-Walk or Single Drive Gate for 1 $\frac{3}{8}$ inch post.....	.60	.70
225	Brace Clamp for 1 inch post.....	.25	.30
226	Brace Clamp for 1 $\frac{3}{8}$ inch post.....	.30	.35
250	Malleable Corner Lugs to fit into 1 inch post.....	.25	.30
251	Malleable Corner Lugs to fit into 1 $\frac{3}{8}$ inch post.....	.35	.40
275	Eye Bolt for Brace wire.....	.25	.30
400	7-foot Lean-to Brace for 1 $\frac{7}{8}$ inch post.....	1.50	1.70
401	Fitting for 1 $\frac{3}{8}$ inch Lean-to Brace and 1 $\frac{7}{8}$ inch post.....	.25	.30


SUBJECT TO THE SAME DISCOUNTS APPLYING TO GATES

WHEN ORDERING, USE BOTH NUMBER AND DESCRIPTION—See Page 22 for Additional Fittings.



GATE FITTINGS

For convenience in ordering, we illustrate herewith the substantial gate fittings we furnish our trade.



All post dimensions given below are OUTSIDE diameters

No.	DESCRIPTION		LIST PRICE	
			Black	Galv.
500	Two-Way Top Rail Clamp for 2 inch post and 1½ inch rail50	.60
501	One-Way Top Rail Clamp for 2 inch post and 1½ inch rail40	.50
<i>Can furnish special sizes at small additional cost.</i>				
520	Two-Way Style Cable Stretcher for 2 inch post (patent applied for)	each	.50	.60
521	One-Way Cable Stretcher for 2 inch post (patent applied for)50	.60
530	Ball-Top to fit inside of 2 inch post		1.00	1.40
550	Walk Gate Scroll, 23 inch to 37 inch		1.00	1.10
551	Single Drive Gate Scroll, 45 inch		1.25	1.40
552	Double Drive Gate Scroll, 23 inch to 37 inch		1.00	1.10

SUBJECT TO THE SAME DISCOUNTS APPLYING TO GATES

WHEN ORDERING USE BOTH NUMBER AND DESCRIPTION—See Pages 20 and 21 for Additional Fittings.



IMPORTANT

To avoid errors, please give the following information
when ordering gates:

First—STYLE of gate and FILLER wanted.

Second—Height in INCHES.

Third—Width of opening in FEET.

Fourth—Whether for WOOD or IRON posts.

Fifth—Whether frame is wanted BLACK or GALVANIZED.

EXAMPLE—1 ornamental No. 600 walk gate, 42 inches high by
3½ feet wide, wood posts, galvanized.





Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Gerron S. Hite

West Texas Collection, Angelo State University, San Angelo, TX

